



Portable Diesel Compressors

175 - 1350 CFM



People. Passion. Performance.



Benefits:



Features:

- Side-access service and centralized drain system.
- Extended-use fuel tank.
- Intuitive control panel.
- Compact design.
- High-efficiency screw element.
- Simplified Oil Separator Tank (Vessel Cover).
- User-friendly servicing.

Technical Data:

Model	FAD (cfm)*	Working pressure (psig)	Capacity fuel tank (l)	L x W x H (mm)	Dry Weight (kg)	Engine Make	Engine Model	Engine (HP)
CPS 175-100	175	100	59.8	Trailer mounted 2974 x 1346 x 1419	610	Kubota	V1505-CR-T-E5B	44
CPS 300-100	300	102	100	Portable 3305 x 1680 x 1983 Skid Mounted	1360	Ashok Leyland Hino	AL W04D	80
CPS 370-125	370	125	100		1440		AL W04CT	111
CPS 400-100	400	102	100		1440			
CPS 400-150	425	150	150	Portable 3600 x 1735 x 1825	Portable 1720 Skid Mounted 1520		AL HA4CTI	130
CPS 425-125	425	125	150	Skid Mounted 2631 x 1357 x 1580			Inline FIP	
CPS 500-185	508	185	190	Skid mounted 2850 x 1400 x 1919	1890	Ashok Leyland	ALUW06DTi	170
CPS 450-200	450	200	190	Portable 3980 x 1960 x 2256 Skid Mounted 2985 x 1504 x 1919	Portable 2100 Skid Mounted 1890			
CPS 500-175	500	175	190					
CPS 550-150	550	150	190					
CPS 650-100	650	102	190					
CPS 550-200	550	200	190					
CPS 575-225	575	225	190					
CPS 610-250	610	250	295	Skid mounted 3294 x 1632 x 2273 Portable 4420 x 2203 x 2721	Stationary 3030 Portable 3310		ALIN6Ti	280
CPS 625-225	618	225	295					
CPS 825-125	810	125	295					
CPS 680-290	685	250/290	295	Skid mounted 3294 x 1632 x 2273	3190		A6	315
CPS 715-175	694	175	295		3030			
CPS 750-250	745	204/247	295		3190			
CPS 850-290	850/750	246.5/290	-		3360 x 1600 x 2370			
CPS 950-300	950	300	-	Skid Mounted 3942 x 1600 x 2465	4100	Cummins	NTA855C-BC	415
CPS 1100-300	1100	300	-				415	
CPS 1200-330	1200	330	-				430	
CPS 1350-425	1250	362/425	-				3750x2102x2256	5318

Specification are subject to change, without prior notice

*according to ISO1217 ed.3 1996 annex D

Fuel Tank Available only for Portable Version



<p>2/3/4/5/6 Jack Hammer Drilling Application Sand Blasting / Surface Preparation Application Ash Handling Application</p>	<p>CPS 300-100 CPS 400-100 CPS 650-1000 CPS 550-150</p>
<p>Sand Blasting / Surface Preparation Application/ LD4 drilling application / Shortcrete Application</p>	<p>CPS 370-125 CPS 400-100 CPS 400-150</p>
<p>Crawler Drilling Application for mining and stone quarry Water Well Drilling application for - 3" to 5.5" dia</p>	<p>CPS 450-200 CPS 500-175 CPS 550-150 CPS 550-200 CPS 575-225 CPS 625-225</p>
<p>Coal Overburden Removal</p>	<p>CPS 550-200 CPS 575-225 CPS 850-290</p>
<p>Water Well drilling Application - 6.5" to 12" dia</p>	<p>CPS 850-290 CPS 950-300 CPS 1100-300 CPS 1200-330 CPS 1350-425</p>
<p>Pigging Application Reverse Circulation Drilling Application</p>	<p>CPS 550-200 CPS 750-200 CPS 850-290 CPS 950-300 CPS 1100-300</p>



At Chicago Pneumatic we have a passion for performance and long-lasting partnerships. Since 1901, we have been committed to reliability based on technology and trust.

People. Passion. Performance.

Reach Us @ 1800 120 110040



Authorised Distributor

Bescon Borewell Compressor Equipments Private Limited

TIRUCHENGODE

♀ No.86, A/5, Ramajayam Compound, Sankari Main Road,
Seetharampalayam, Tiruchengode – 637 211
Namakkal District, Tamil Nadu, India.
Contact No: 94422-05389 / 96298-76928

KUNNATHUR

♀ No.144, PN Road,
Kunnathur – 638 103, Tiruppur District,
Tamil Nadu, India.
Contact No: 94422-05389 / 96298-76928